

Subject index

- abscisic acid, flower development 279-282
- actin 6-10
- Actinidia* 267-272, 274-278
- actomyosin system, pollen tubes 79
- Allemanda nerifolia* 132-136
- anther culture 240
 - dehiscence 34
 - development, cms 216-222
- anthesis 157, 158
- antipodal cells 244, 247, 248, 251, 289
- apical zone, pollen tubes 73-80
- apomixis 88-93, 188-192

- Brassica napus* 22-27, 48-55, 176-181, 262-273
 - *pekinensis* 193-196
- Beta vulgaris* 64-71, 118-124, 215-244
 - *oleracea* 28-35

- calcium ions, effect on tropism 139, 142
 - uptake, pollen 36-38
- Camellia* 138-143
- cell reconstruction 17-20
 - volumes, embryo sac 250-253
- Cenchorus ciliaris* 188-192
- chemical hybridization 236, 241
- colchicine 48-55
- Cucurbita pepo* 208-213
- cytochalasin effects, pollen tube structure 73-80
- cytoplasmic male sterility (cms) 23-27, 215-224
 - organelles, transmission 17-20
- cytoskeleton, isolated gametes 148
 - , microspore 48-55
 - , pollen 293-297
 - , pollen tubes 6-10

- Daucus* 288-292
- dioecism 267-272
- directed growth pollen tubes, electrotropic 141-142
- egg apparatus 251, 289, 290
 - cell isolation 14
- electrofusion 12-15, 17-20
- electrotropism pollen tubes 138-143
- embryogenesis, induction 54
- embryo sac 244-249, 288-292
- embryo sac development 188-192, 250-253
- endosperm development stage 119-121
- Endymion non-scriptus* 73-80
- estradiols, pistils 194-195
- estrogens, in pollen 193-196
- ethrel 236

- female gamete isolation 148-151
 - gametophyte 250-253
- floral characteristics, kiwi 269-271
 - development 155-164
- fruit development, kiwi 272
- functional polarity 34
- funiculus 66, 68, 118-124
- fusion combination 18

- fusion production, isolated gametes 151
- fusion products, development 15

- gamete isolation, angiosperms 145-152
- gametocides 235-241
- gametophytic incompatibility 81-86
- generative cells, isolation 132-133
- generative cells, pollen 293-297
- genetic influence, pollen 212
- glycan side chains, S-glycoprotein 258-265
- Glycine max* 197-202

- heat stress, pollen viability 104-108
- Helianthus annuus* 166-174
- Hippeastrum* 293-297
- humidity stress, pollen germination 104-108
- hybridization period 114-115
- hydration pollen 183

- immature pistils, pollination 163
- incongruity 1-5
- inflorescence pattern, mixed 276, 277
- in situ hybridization 244-248, 250-253, 254-256
- interspecific crosses 1-4, 64-71, 118-124
- in vitro culture, ovules 118-124
 - development microspore 52-53
 - fertilization 12-15, 17-20
 - pollen germination 182-186
- isolation of embryo sacs 149
- isolation of gametes 145-152
- kiwi fruit 267-272, 274-278

- Lilium davidii* 193-196
- Lycopersicon* 279-283

- maize 244-248, 250-253
- male gamete isolation 145-148
 - germ unit 226
- male sterility 197-202, 235-241
- male-sterile mutants 239
- maternal effects 56-62
 - plastids 288
- megasporogenesis 188-192
- microinjection DNA into gametes 152
- micropyle 167, 169-172
- microspore-embryogenesis 48-55
- microspore, in vitro culture 284-287
- microsporogenesis 22-27
 - , cms 216
- microtubule, depolymerization 297
 - , organization, generative cells 132-136, 293-297
- microwave stabilization 7-9
- mRNS, pollen-specific 254-256

- Nicotiana tabacum* 104-108, 254-256, 284-287
- non-random fertilization 208-213
- nucellus 66, 68, 118-124
- nuclear positioning, pollen development 54
- nuclei, position in microgametophyte 177

- order of fertilization 126-130
- organelle transfer 17-20
- Oryza sativa* 39-43
- ovaries, development after self pollination 161, 163
- ovule mortality 122
- ovules, cultivated in vitro 70, 118-124

- parental effects, potato crosses 56-62
- parthenogenesis 88-93
- paternal plastid inheritance 288-292
- Petunia* 258-265
- Phaseolus coccineus* 126-130
- Pistacia vera* 182-186
- pistil development 159, 279-283
- pistil hyperplasia 39-43
- pleiotropism, pollen genes 44-47
- Poaceae, embryos without endosperm 88-93
- pollen competition 203-207, 203-213
 - development 235
 - development, microtubule framework 296
 - genesis 284
 - , genotypic effects 44-47
 - germinability 104-108
 - germination 36-38
 - germination, pH influence 111
 - grain size 203-207
 - inhibition 183
 - performance 208-213
 - quality 113-116
 - quality, seasonal influence 113-116
 - storage 284-287
 - tube growth, specific inhibitors 261
 - tube, inner plasma membrane 226-233
 - tubes, fluorescence micrographs 9
 - tubes, ultrastructure 73-80
 - viability 104-108, 116
 - vigor 126-130
- pollination effectiveness 110-111
- polypeptides, gamete-specific 152
- Primula officinalis* 36-38
- probability of seed maturation 127-128
- progeny sex ration 203-207
- proline analogs 238-239
- protein release, pollen 184
- Pyrus serotina* 95-103

- recognition gametes 152
- ribonucleases 81-86, 260-265
- ribosomes 244-248, 250-253
- Rhododendron macgregoriae* 155-164
- Rosa hybrida* 110-115
- Ruscus aculeatus* 36-38

- S-allele associated proteins 81-86
- S-alleles, nucleotide sequence 85
- salt stress, embryo sac development 188-192
- seasonal influences on pollen quality 113-116
- seed set 287
- self-incompatibility 81-86, 258-265
- semi-vivo pollen germination test 106

- Sesam indicum* 44-47
sex differentiation, rice 39-43
- expression 274-278
Silene latifolia 203-207
Solanum 56-62, 81-86
sperm cell formation 176-181
sperm cells, isolation 13, 226-233
S-proteins 258-265
stigmatic exudate 110-112
stress, pollen development 239
stress, pollen viability 104-108
stylar transmitting tissue 95-103
suspensor 66, 68, 118-124
symmetrical division, induction by
 cholchicine 53
synergid degeneration 166-174
synergids 17-20
tapetal development, cms 216
tapetum, secretory 28-35
timetable, reproductive 157
transmitting tissue, style 95-103
tryphine 35
tubulin cytoskeleton 54
Tulipa 1-5
viability isolated gametes 147, 151
Zea mays 12-15

